








Μοντέλο	Περιγραφή	Τιμή χωρίς ΦΠΑ
<p>LA122A</p> 	<p>Speaker Type Active 2-Way Line Array Element Frequency Response (-6dB) 58Hz - 19.000Hz Calculated Max. SPL (Cont/Peak) 129dB/135dB (Full-Space) Connectors Signal: 2 x XLR ; Power: 2 x powerCON DSP Adjustable Parameters 6 PEQ, Delay, HPF, LPF, Bass Enhancer, Level, Polarity, Mute Dimensions (WxHxD) 602 x 350 x 465mm (23.7 x 13.78 x 18.31in) Net Weight 36kg (79.4lb)</p>	<p>6.336,33</p>
<p>LA122WA</p> 	<p>Speaker Type Active 2-Way Line Array Element Frequency Response (-6dB) 58Hz - 19.000Hz Calculated Max. SPL (Cont/Peak) 128.5dB/134.5dB (Full-Space) DSP Adjustable Parameters 6 PEQ, Delay, HPF, LPF, Bass Enhancer, Level, Polarity, Mute Dimensions (WxHxD) 602 x 350 x 465mm (23.7 x 13.78 x 18.31in) Net Weight 35.6kg (78.5lb) Shipping Weight 37.5kg (82.7lb)</p>	<p>6.336,33</p>
<p>LAs118A</p> 	<p>Speaker Type Active Hybrid-Horn Subwoofer Frequency Response (-6dB) 38Hz - 160Hz Calculated Max. SPL (Cont/Peak) 132.5dB/138.5dB (Half-space) DSP Adjustable Parameters 6 PEQ, Delay, HPF, LPF, Bass Enhancer, Level, Polarity, Mute Dimensions (WxHxD) 602 x 664 x 750mm (23.7 x 26.14 x 29.53in) Net Weight 67.3kg (148.4lb)</p>	<p>4.856,85</p>

Μοντέλο	Περιγραφή	Τιμή χωρίς ΦΠΑ
<p>PX-System</p> 	<p>2 – PXH64 4 – PXL118 2 – PXA8001 4 - Speaker cable 8 x 4mm² NL8 1m 2 - Speaker cable 8 x 4mm² NL8 1.5m 2 - PowerCON Conector</p>	<p>15.566,21</p>
<p>PX-System-Slave</p> 	<p>2 – PXH64 4 – PXL118 2 – PXA8000 Drawer (info soon) 4 - Speaker cable 8 x 4mm² NL8 1m 2 - Speaker cable 8 x 4mm² NL8 1.5m</p>	<p>10.637,94</p>
<p>HFA26.12-System</p> 	<p>2 – HFA206p 2 – HFA112s 2 – Adjustable Distance Tube (0.82 - 1.4 m) 2 - Speaker cable 2 x 2.5mm² NL4 2.2m</p>	<p>3.692,68</p>
<p>HFA12.18-System</p> 	<p>2 – HFA112 2 – HFA118sHP 2 – Adjustable Distance Tube (0.82 - 1.4 m) 2 - Signal Cable XLR 2.2m 2 - Power Cable powerCON In / Out 2.2m</p>	<p>6.562,50</p>

Μοντέλο

Περιγραφή

Τιμή χωρίς ΦΠΑ

HFA212.218-System



2 – HFA212W
4 – HFA118sHP
4 - Signal Cable XLR 2.2m
4 - Power Cable powerCON In / Out 2.2m

11.070,97

PFA12.18-System



2 – PFA12p
2 – PFA18s
2 - Adjustable Distance Tube (0.82 - 1.4 m)
2 - Speaker cable 2 x 2.5mm² NL4 2.2m

3.648,58

MK3.10-System



2 – Matrix M3
2 – Kubix K10sA
2 - NEXT Speaker Pole Bracket for MATRIX
2 - Adjustable Distance Tube (0.82 - 1.4 m)
2 - Speaker cable 2 x 2.5mm² NL4 2.2m

2.362,71

MH8.15-System



2 – Matrix M8
2 – HFA115s
2 - NEXT Speaker Pole Bracket for MATRIX
2 - Adjustable Distance Tube (0.82 - 1.4 m)
2 - Speaker cable 2 x 2.5mm² NL4 2.2m

4.198,91

Μοντέλο	Περιγραφή	Τιμή χωρίς ΦΠΑ
<p>LAs118 v2</p> 	<p>Speaker Type Active Hybrid-Horn Subwoofer Frequency Response (-6dB) 38Hz - 160Hz Calculated Max. SPL (Cont/Peak) 132.5dB/138.5dB (Half-space) Crossover frequency/Type 80Hz to 120Hz / 24dB/oct LR (recommended) Dimensions (WxHxD) 602 x 664 x 750mm (23.7 x 26.14 x 29.53in) Net Weight 66kg (145.5lb) Shipping Weight 68.5kg (151lb)</p>	1.671,27
<p>LAs418</p> 	<p>Speaker Type Passive Very High Power Reflex Subwoofer Frequency Response (-6dB) 28Hz - 250Hz Low Frequency Extension (-10dB) 24Hz Sensitivity (1W@1m) 109dB (Half-space) Crossover frequency/Type 80Hz to 180Hz / 24dB/oct Linkwitz/Riley (recommended) Dimensions (WxHxD) 1030 x 516 x 920mm (40.55 x 20.31 x 36.22in) Net Weight 94kg (207.2lb) Shipping Weight 98.8kg (217.8lb)</p>	2.676,68
<p>LAs418G</p> 	<p>Speaker Type Passive Very High Power Reflex Subwoofer, Ground Stack Frequency Response (-6dB) 28Hz - 250Hz Low Frequency Extension (-10dB) 24Hz Sensitivity (1W@1m) 109dB (Half-space) Crossover frequency/Type 80Hz to 180Hz / 24dB/oct Linkwitz/Riley (recommended) Dimensions (WxHxD) 1030 x 516 x 920mm (40.55 x 20.31 x 36.22in) Net Weight 90kg (198.4lb) Shipping Weight 96.8kg (213.4lb)</p>	2.676,68
<p>Xh18</p> 	<p>Speaker Type Passive Hybrid Horn Subwoofer Frequency Response (-6dB) 38Hz - 160Hz Low Frequency Extension (-10dB) 32Hz Sensitivity (1W@1m) 105dB (Half-space) Recommended High-Pass Filter 34Hz, 18dB/oct Butterworth Connectors 2 x Neutrik NL4 parallel wired Dimensions (WxHxD) 796 x 610 x 630mm (31.34 x 24.02 x 24.8in) Net Weight 55.8kg (123lb) Shipping Weight 58.5kg (129lb)</p>	1.215,31
<p>PXL118</p> 	<p>Speaker Type Hybrid Horn-Loaded Bass Speaker Frequency Response (-6dB) 42Hz - 180Hz Low Frequency Extension (-10dB) 34Hz Sensitivity (1W@1m) 104dB (Half-space) Connectors 2 x Neutrik NL8 parallel wired Dimensions (WxHxD) 600 x 766 x 641mm (23.62 x 30.16 x 25.24in) Net Weight 49.5kg (109.1lb)</p>	1.232,07

Μοντέλο
Περιγραφή
**Τιμή χωρίς
ΦΠΑ**
PFA18spHP


Speaker Type Passive Reflex Subwoofer
 Frequency Response (-6dB) 36Hz - X-over
 Low Frequency Extension (-10dB) 103dB (Half-Space)
 Dimensions (WxHxD) 525 x 703 x 735mm (20.67 x 27.68 x 28.94in) Net
 Weight 44.8kg (98.8lb)

1.009,82

K10s


Speaker Type Passive Reflex Subwoofer
 Frequency Response (-6dB) 44Hz - 500Hz
 Low Frequency Extension (-10dB) 37Hz
 Sensitivity (1W@1m) 99dB (Half-Space)
 Recommended High-Pass Filter 34Hz
 Dimensions (WxHxD) 350 x 436 x 389mm (13.78 x 17.17 x 15.31in)
 Net Weight 12.9kg (28.4lb)

560,03

K12s


Speaker Type Passive Reflex Subwoofer
 Frequency Response (-6dB) 43Hz - 500Hz
 Low Frequency Extension (-10dB) 38Hz
 Sensitivity (1W@1m) 101dB (Half-Space)
 Dimensions (WxHxD) 490 x 427 x 370mm (19.29 x 16.81 x 14.57in)
 Net Weight 18.1kg (39.9lb)

789,33

Μοντέλο	Περιγραφή	Τιμή χωρίς ΦΠΑ
<p>LAs118A</p> 	<p>Speaker Type Active Hybrid-Horn Subwoofer Frequency Response (-6dB) 38Hz - 160Hz Calculated Max. SPL (Cont/Peak) 132.5dB/138.5dB (Half-space) Dimensions (WxHxD) 602 x 664 x 750mm (23.7 x 26.14 x 29.53in) Net Weight 67.3kg (148.4lb)</p>	<p>2.139,58</p>
<p>HFA112s</p> 	<p>Speaker Type Active Band-Pass Subwoofer Frequency Response (-6dB) 40Hz - X-over Low Frequency Extension (-10dB) 34HZ Total Output Power 1650Wrms Dimensions (WxHxD) 349 x 512 x 550mm (13.74 x 20.16 x 21.65in) Net Weight 25.2kg (55.6lb) Shipping Weight 27.4kg (60.4lb)</p>	<p>1.258,53</p>
<p>HFA115sHP</p> 	<p>Speaker Type Active Reflex Subwoofer Frequency Response (-6dB) 32Hz - X-over Calculated Max. SPL (Cont/Peak) 133.7dB/136.7dB (Half-space) Dimensions (WxHxD) 448 x 556 x 511mm (17.64 x 21.89 x 20.12in) Net Weight 37.1kg (81.8lb)</p>	<p>1.545,16</p>
<p>HFA115s</p> 	<p>Speaker Type Active Reflex Subwoofer Frequency Response (-6dB) 32Hz - X-over Calculated Max. SPL (Cont/Peak) 130.7dB/136.7dB (Half-space) Dimensions (WxHxD) 448 x 556 x 511mm (17.64 x 21.89 x 20.12in) Net Weight 37.1kg (81.8lb)</p>	<p>1.523,99</p>
<p>HFA118sHP</p> 	<p>Speaker Type Active Hybrid-Horn Subwoofer Frequency Response (-6dB) 38Hz - X-over Calculated Max. SPL (Cont/Peak) 135dB/141dB (Half-space) Dimensions (WxHxD) 602 x 662 x 746mm (23.7 x 26.06 x 29.37in) Net Weight 57.4kg (126.5lb) Shipping Weight 60.3kg (132.9lb)</p>	<p>1.887,35</p>

Μοντέλο	Περιγραφή	Τιμή χωρίς ΦΠΑ
<p>PFA18s</p> 	<p>Speaker Type Active Reflex Subwoofer Frequency Response (-6dB) 38Hz - X-over Calculated Max. SPL (Cont/Peak) 133dB/139dB (Half-space) Dimensions (WxHxD) 525 x 703 x 735mm (20.67 x 27.68 x 28.94in) Net Weight 47.1kg (103.8lb) Shipping Weight 50.7kg (111.8lb)</p>	<p>1.269,99</p>
<p>PFA18sHP</p> 	<p>Speaker Type Active Reflex Subwoofer Frequency Response (-6dB) 36Hz - X-over Calculated Max. SPL (Cont/Peak) 136dB/142dB (Half-space) Dimensions (WxHxD) 525 x 703 x 735mm (20.67 x 27.68 x 28.94in) Net Weight 47.9kg (105.6lb)</p>	<p>1.574,26</p>
<p>K10sA</p> 	<p>Speaker Type Active Reflex Subwoofer Frequency Response (-6dB) 44Hz - X-over Low Frequency Extension (-10dB) 37Hz Calculated Max. SPL (Cont/Peak) 125dB/128dB (Half-Space) Dimensions (WxHxD) 350 x 436 x 389mm (13.78 x 17.17 x 15.31in) Net Weight 15.9kg (35.1lb)</p>	<p>789,33</p>
<p>K12sA</p> 	<p>Speaker Type Active Reflex Subwoofer Frequency Response (-6dB) 43Hz - X-over Low Frequency Extension (-10dB) 38Hz Calculated Max. SPL (Cont/Peak) 131.5dB/134.5dB (Half-Space) Dimensions (WxHxD) 490 x 427 x 370mm (19.29 x 16.81 x 14.57in) Net Weight 22kg (48.5lb)</p>	<p>1.274,40</p>
<p>LAs418A</p> 	<p>Speaker Type Active High Power Reflex Subwoofer Frequency Response (-6dB) 28Hz - 250Hz Low Frequency Extension (-10dB) 24Hz Calculated Max. SPL (Cont/Peak) 140dB/143dB (Half-space) Dimensions (WxHxD) 1030 x 516 x 920mm (40.55 x 20.31 x 36.22in) Net Weight 89kg (196.2lb)</p>	<p>3.708,55</p>



Μοντέλο	Περιγραφή	Τιμή χωρίς ΦΠΑ
<p>LAm112x</p> 	<p>Speaker Type Bass Reflex Coaxial Full-Range Monitor Frequency Response (-6dB) 68Hz - 18kHz Low Frequency Extension (-10dB) 59Hz Sensitivity (1W@1m) FR 104dB (Half-Space) Crossover frequency/Type 1250Hz/asymmetrical (internal) or 1250Hz/24dB/oct Linkwitz/Riley (external) Dimensions (WxHxD) 518 x 351 x 478mm (20.39 x 13.82 x 18.82in) Net Weight 16.7kg (36.8lb)</p>	<p>1.262,94</p>
<p>LAm114xA</p> 	<p>Speaker Type Active Coaxial Stage Monitor Frequency Response (-6dB) 58Hz - 19.000Hz Calculated Max. SPL (Cont/Peak) 135dB/141dB (Half-space) Coverage Angle -6dB (HxV) 80° Conical Dimensions (WxHxD) 564 x 390 x 475mm (22.2 x 15.35 x 18.7in) Net Weight 25kg (55.1lb)</p>	<p>1.750,65</p>
<p>LAm115</p> 	<p>Speaker Type Full-Range/Bi-Amp Tailored Dispersion Stage Monitor Frequency Response (-6dB) 58Hz - 18.000Hz Low Frequency Extension (-10dB) 52Hz Sensitivity (1W@1m) FR 102dB (Half-Space) Dimensions (WxHxD) 746 x 385 x 532mm (29.37 x 15.16 x 20.94in) Net Weight 30.8kg (67.9lb) Shipping Weight 33.3kg (73.4lb)</p>	<p>1.673,92</p>

Μοντέλο	Περιγραφή	Τιμή χωρίς ΦΠΑ
HFA106p 	Speaker Type Passive Two-way Speaker Frequency Response (-6dB) 82Hz - 18.000Hz Sensitivity (1W@1m)92dB (Full-Space) Calculated Max. SPL (Cont/Peak)118dB/124dB (Full-Space) Dimensions (WxHxD)219 x 450 x 259mm (8.62 x 17.72 x 10.2in) Net Weight 12.7kg (28lb)	451,55
HFA206p 	Speaker Type Passive Two-way Vertical Array Frequency Response (-6dB) 80Hz - 18.000Hz Sensitivity (1W@1m) 95dB (Full-Space) Calculated Max. SPL (Cont/Peak) 121dB/127dB (Full-Space) Dimensions (WxHxD) 219 x 625 x 259mm (8.62 x 24.61 x 10.2in) Net Weight 14.4kg (31.7lb) Shipping Weight 15.6kg (34.4lb)	562,68
X8 	Speaker Type Passive High Performance Full-Range Speaker/Monitor Frequency Response (-6dB) 72Hz - 20.000Hz Low Frequency Extension (-10dB) 64Hz Sensitivity (1W@1m) 94dB (Full-Space) Fittings16 x M6 threaded inserts, 1 x 35mm pole mount socket Dimensions (WxHxD)254 x 451 x 238mm (10 x 17.76 x 9.37in) Net Weight 8.9kg (19.6lb) Shipping Weight 9.9kg (21.8lb)	674,68
X12 	Speaker Type Passive High Performance Full-Range Speaker/Monitor Frequency Response (-6dB) 57Hz - 20.000Hz Low Frequency Extension (-10dB) 50Hz Sensitivity (1W@1m) 99dB (Full-Space) Dimensions (WxHxD)422 x 657 x 361mm (16.61 x 25.87 x 14.21in) Net Weight 23.6kg (52lb) Shipping Weight 25.8kg (56.9lb)	881,06
X15 	Speaker Type Passive High Performance Full-Range Speaker/Monitor Frequency Response (-6dB) 53Hz - 18.000Hz Low Frequency Extension (-10dB) 48Hz Sensitivity (1W@1m)100dB (Full-Space) Dimensions (WxHxD)460 x 732 x 404mm (18.11 x 28.82 x 15.91in) Net Weight 31.4kg (69.2lb) Shipping Weight 33.6kg (74.1lb)	1.057,44
X212 	Speaker Type Passive High Performance Full-Range Speaker Frequency Response (-6dB) 52Hz - 20.000Hz Low Frequency Extension (-10dB) 48Hz Sensitivity (1W@1m)102dB (Full-Space) Dimensions (WxHxD)424 x 996 x 361mm (16.69 x 39.21 x 14.21in) Net Weight 40.2kg (88.6lb)	1.421,68
PXH64 	Speaker Type Coaxial Horn-Loaded Mid/High Speaker Frequency Response (-6dB) 136Hz - 18000Hz Low Frequency Extension (-10dB) 130Hz Sensitivity (1W@1m) MF103dB (Full-Space) Dimensions (WxHxD)616 x 612 x 641mm (24.25 x 24.09 x 25.24in) Net Weight 43.3kg (95.5lb)	2.112,24
PXH95 	Speaker Type Coaxial Horn-Loaded Mid/High Speaker Frequency Response (-6dB) 136Hz - 18000Hz Low Frequency Extension (-10dB)130Hz Sensitivity (1W@1m) MF103dB (Full-Space) Dimensions (WxHxD)616 x 612 x 641mm (24.25 x 24.09 x 25.24in) Net Weight 43.3kg (95.5lb)	2.112,24

Μοντέλο	Περιγραφή	Τιμή χωρίς ΦΠΑ
PFA8p 	<p>Speaker Type Passive Two-way Speaker Frequency Response (-6dB) 60Hz - 18.000Hz Sensitivity (1W@1m)93.5dB (Full-Space) Calculated Max. SPL (Cont/Peak)118dB/124dB (Full-Space) Dimensions (WxHxD)254 x 415 x 301mm (10 x 16.34 x 11.85in) Net Weight 10.2kg (22.5lb)</p>	501,82
PFA12p 	<p>Speaker Type Passive Two-Way Speaker/Monitor Frequency Response (-6dB) 58Hz - 18.000Hz Sensitivity (1W@1m)96dB (Full-Space) Calculated Max. SPL (Cont/Peak)123dB/129dB (Full-Space) Dimensions (WxHxD)356 x 554 x 410mm (14.02 x 21.81 x 16.14in) Net Weight 19.6kg (43.2lb) Shipping Weight 21.5kg (47.4lb)</p>	528,28
PFA15p 	<p>Speaker Type Passive Two-Way Speaker/Monitor Frequency Response (-6dB) 54Hz - 18.000Hz Sensitivity (1W@1m) 99dB (Full-Space) Calculated Max. SPL (Cont/Peak) 126dB/132dB (Full-Space) Dimensions (WxHxD) 431 x 654 x 440mm (16.97 x 25.75 x 17.32in) Net Weight 24.5kg (54lb) Shipping Weight 27.1kg (59.7lb)</p>	616,47
K5 	<p>Speaker Type Passive Coaxial Reflex Speaker Frequency Response (-6dB) 112Hz - 18.000Hz Low Frequency Extension (-10dB) 70Hz Sensitivity (1W@1m)91dB (Full-Space) Dimensions (WxHxD)170 x 170 x 187mm (6.69 x 6.69 x 7.36in) Net Weight 3.3kg (7.3lb)</p>	420,68
K5+ 	<p>Speaker Type Passive Coaxial Reflex Speaker Frequency Response (-6dB) 150Hz - 18.000Hz Low Frequency Extension (-10dB) 100Hz Sensitivity (1W@1m) 93dB (Full-Space) Dimensions (WxHxD)170 x 170 x 187mm (6.69 x 6.69 x 7.36in) Net Weight 3.3kg (7.3lb)</p>	420,68
K8 	<p>Speaker Type Passive Coaxial Reflex Speaker Frequency Response (-6dB) 67Hz - 18.000Hz Low Frequency Extension (-10dB) 59Hz Sensitivity (1W@1m) 96dB (Full-Space) Dimensions (WxHxD)395 x 264 x 281mm (15.55 x 10.39 x 11.06in) Net Weight 10.8kg (23.8lb)</p>	683,50
K12 	<p>Speaker Type Passive Coaxial Reflex Speaker Frequency Response (-6dB) 53Hz - 18.000Hz Low Frequency Extension (-10dB) 44Hz Sensitivity (1W@1m)98dB (Full-Space) Dimensions (WxHxD)448 x 354 x 361mm (17.64 x 13.94 x 14.21in) Net Weight 15.6kg (34.4lb)</p>	815,79

Μοντέλο	Περιγραφή	Τιμή χωρίς ΦΠΑ
<p>HFA206</p> 	<p>Speaker Type Active Two-Way Vertical Array Frequency Response (-6dB) 80Hz - 19.000Hz Calculated Max. SPL (Cont/Peak)121dB/127dB (Full-Space) Amplifier Technology2 channel switched mode class AB with DSP Dimensions (WxHxD)219 x 625 x 259mm (8.62 x 24.61 x 10.2in) Net Weight 15.7kg (34.6lb) Shipping Weight 16.9kg (37.3lb)</p>	<p>725,84</p>
<p>HFA108</p> 	<p>Speaker Type Active Two-way Speaker Frequency Response (-6dB) 68Hz - 19.000Hz Calculated Max. SPL (Cont/Peak)122dB/128dB (Full-Space) Dimensions (WxHxD)244 x 451 x 288mm (9.61 x 17.76 x 11.34in) Net Weight 11.9kg (26.2lb) Shipping Weight 13.4kg (29.5lb)</p>	<p>771,70</p>
<p>HFA112</p> 	<p>Speaker Type Active High Power 2-Way Speaker Frequency Response (-6dB) 55Hz - 19.000Hz Low Frequency Extension (-10dB) 46Hz Calculated Max. SPL (Cont/Peak) 127dB/133dB (Full-Space) Dimensions (WxHxD)365 x 635 x 378mm (14.37 x 25 x 14.88in) Net Weight 25kg (55.1lb) Shipping Weight 27kg (59.5lb)</p>	<p>1.371,41</p>
<p>HFA115</p> 	<p>Speaker Type Active High Power 2-Way Speaker Frequency Response (-6dB) 47Hz - 18.000Hz Calculated Max. SPL (Cont/Peak) 127.5dB/133.5dB (Full-Space) Dimensions (WxHxD)437 x 703 x 430mm (17.2 x 27.68 x 16.93in) Net Weight 28kg (61.7lb) Shipping Weight 30.8kg (67.9lb)</p>	<p>1.496,65</p>
<p>HFA212</p> 	<p>Speaker Type Active High Power 2.5-Way Speaker Frequency Response (-6dB) 45Hz - 18.000Hz Calculated Max. SPL (Cont/Peak) 130.5dB/136.5dB (Full-Space) Dimensions (WxHxD)365 x 938 x 378mm (14.37 x 36.93 x 14.88in) Net Weight 33kg (72.8lb) Shipping Weight 35.7kg (78.7lb)</p>	<p>1.762,99</p>
<p>HFA212W</p> 	<p>Speaker Type Active High Power 2.5-Way Wide Speaker Frequency Response (-6dB) 45Hz - 18.000Hz Calculated Max. SPL (Cont/Peak) 130.5dB/136.5dB (Full-space) Dimensions (WxHxD)365 x 938 x 378mm (14.37 x 36.93 x 14.88in) Net Weight 33kg (72.8lb) Shipping Weight 35.7kg (78.7lb)</p>	<p>1.762,99</p>

Μοντέλο	Περιγραφή	Τιμή χωρίς ΦΠΑ
<p>PFA8</p> 	<p>Speaker Type Active Two-way Speaker Frequency Response (-6dB) 60Hz - 18.000Hz Calculated Max. SPL (Cont/Peak) 118dB/124dB (Full-Space) Dimensions (WxHxD)254 x 415 x 301mm (10 x 16.34 x 11.85in) Net Weight 11.8kg (26lb)</p>	<p>669,39</p>
<p>PFA12</p> 	<p>Speaker Type Active Two-Way Speaker/Monitor Frequency Response (-6dB) 58Hz - 18.000Hz Calculated Max. SPL (Cont/Peak)122dB/128dB (Full-Space) Dimensions (WxHxD)356 x 554 x 410mm (14.02 x 21.81 x 16.14in) Net Weight 20.6kg (45.4lb) Shipping Weight 22.8kg (50.3lb)</p>	<p>704,67</p>
<p>PFA15</p> 	<p>Speaker Type Active Two-Way Speaker/Monitor Frequency Response (-6dB) 54Hz - 18.000Hz Calculated Max. SPL (Cont/Peak)126dB/132dB (Full-Space) Dimensions (WxHxD)431 x 654 x 440mm (16.97 x 25.75 x 17.32in) Net Weight 25.7kg (56.7lb) Shipping Weight 28.5kg (62.8lb)</p>	<p>792,86</p>
<p>K8A</p> 	<p>Speaker Type Active Coaxial Reflex Speaker Frequency Response (-6dB) 67Hz - 18.000Hz Low Frequency Extension (-10dB) 59Hz Calculated Max. SPL (Cont/Peak)122dB/125dB (Full-Space) Dimensions (WxHxD)395 x 264 x 281mm (15.55 x 10.39 x 11.06in) Net Weight 12.2kg (26.9lb)</p>	<p>859,89</p>
<p>K12A</p> 	<p>Speaker Type Active Coaxial Reflex Speaker Frequency Response (-6dB) 53Hz - 18.000Hz Low Frequency Extension (-10dB) 44Hz Calculated Max. SPL (Cont/Peak)124dB/127dB (Full-Space) Dimensions (WxHxD)448 x 354 x 361mm (17.64 x 13.94 x 14.21in) Net Weight 17.2kg (37.9lb)</p>	<p>992,18</p>

Μοντέλο	Περιγραφή	Τιμή χωρίς ΦΠΑ
<p>M3</p> 	<p>Speaker Type Tuned Dipolar, Variable Beam Straight Line Array Frequency Response (-10dB) 140Hz - 20kHz Equalizer Optimization Mode Vocal or Music (User Selectable) Horizontal Coverage 90° (+/-20° 1.5-5kHz) Vertical Coverage 40° (+/-10° 2-16kHz) / 15° (+/-10° 3-16kHz) Sensitivity (1W@1m) 96dB/93dB Construction Aluminum / Wood / Steel / 3D Fabric Dimensions (WxHxD) 108 x 296 x 152mm (4.25 x 11.65 x 5.98in) Net Weight 2.6kg (5.7lb)</p>	<p>295,45</p>
<p>M8</p> 	<p>Speaker Type Tuned Dipolar, Variable Beam Straight Line Array Frequency Response (-10dB) 135Hz - 20kHz Equalizer Optimization Mode Vocal or Music (User Selectable) Horizontal Coverage 90° (+/-20° 1.5-5kHz) Vertical Coverage 25° (+/-10° 1.2-16kHz) / (+10°/-5° 1.5-16kHz) Sensitivity (1W@1m) 100dB/97dB Construction Aluminum / Wood / Steel / 3D Fabric Dimensions (WxHxD) 108 x 677 x 152mm (4.25 x 26.65 x 5.98in) Net Weight 6.2kg (13.7lb)</p>	<p>507,11</p>